



1089,2

SECTION A-A

DETAIL B
SCALE 1 : 1

Detailè Nesimetriška!

Tag	Direction	Angle	Inner Radius	Bend Parameter
A	UP	90°	1.5	0.42
B	UP	90°	1.5	0.42
C	UP	90°	1.5	0.42
D	UP	90°	1.5	0.42
E	UP	90°	1.5	0.42
F	UP	90°	1.5	0.42
G	UP	90°	1.5	0.42
H	UP	90°	1.5	0.42
J	UP	90°	1.5	0.42
K	UP	90°	1.5	0.42

<p>General tolerances for linear and angular dimensions according to DIN ISO 2768-1 m. General tolerances for form and position according to DIN ISO 2768-2 L. Tolerance class for holes according to DIN ISO 286-2 H11. Unless otherwise specified.</p>		<p>Material HDG DX51D+Z</p>	<p>Material comment -</p>	<p>Sheet thickness 1.5</p>	<p>Weight 2330.18</p>
		<p>Surface treatment -</p>	<p>Units mm, g</p>	<p>Scale 1:5</p>	
<p>Customer Stansefabrikken Products AS</p>	<p>Drawn by LVA</p>	<p>Modified by</p>	<p>Document status RELEASED</p>	<p>Format A3</p>	
	<p>Description UTS FUNDAMENT</p>	<p>Drawing no SFPLA000470</p>	<p>Rev.no -</p>	<p>Date 28.02.2024</p>	<p>Sheet/Sheets 1 / 2</p>